

Progress Notes

Printed On Feb 29, 2016

LOCAL TITLE: EMERGENCY DEPT LEVEL 1/2 DISCHARGE NOTE
 STANDARD TITLE: URGENT CARE EDUCATION DISCHARGE NOTE
 DATE OF NOTE: AUG 02, 2014@20:50 ENTRY DATE: AUG 02, 2014@20:50:20
 AUTHOR: CASHION, MEDFORD EXP COSIGNER:
 URGENCY: STATUS: COMPLETED

Instructions:

DX: HEAD INJURY, WITHOUT CONCUSSION, CONTUSION FOREHEAD, ON WARFARIN
 PLAN: SEE CARENOTE. FOLLOWUP URGENT CARE AUG 4 FOR THIS INJURY.

Released to:

Home

Follow up (by patient):

other:

--Scheduled Appointments:

08/04/2014 14:00 DERM FOLLOW UP
 08/06/2014 11:20 SPO PHARMACIST CLINIC 3
 08/06/2014 13:30 POD FOOT TECH
 08/15/2014 11:30 URO HEATON
 08/27/2014 11:30 MHC LOCUMS-A
 09/04/2014 11:00 SPO CPAP B
 10/09/2014 13:00 URO HEATON

Condition:

stable

Medication Reconciliation:

No medication changes made during this visit. Medication reconciliation done with patient/caregiver. List of current medications:

Active Outpatient Medications (including Supplies):

Outpatient Medications		Status
=====		
1)	ACETAMINOPHEN 325MG TAB TAKE TWO TABLETS BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN	ACTIVE
2)	ALBUTEROL 100/IPRATRO 20MCG 120D PO INHL INHALE 1 PUFF ORAL INHALATION FOUR TIMES DAILY ***PLEASE NOTE NEW FORMULATION AND NEW DIRECTIONS***	ACTIVE
3)	ASPIRIN 81MG EC TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR HEART AND CIRCULATION	ACTIVE
4)	BUDESONIDE 80/FORMOTER 4.5MCG 120D INH INHALE 2 PUFFS VIA ORAL INHALER DEVICE EVERY 12 HOURS RINSE MOUTH WITH WATER AND SPIT AFTER EVERY DOSE. SHAKE WELL (5 SECONDS) BEFORE EACH USE.	ACTIVE
5)	BUPROPION HCL 100MG TAB TAKE ONE AND ONE-HALF TABLETS BY MOUTH TWICE DAILY (AT 6 AM AND 2 PM) FOR DEPRESSION, ANXIETY, SMOKING.	ACTIVE
6)	CLOBETASOL PROPIONATE 0.05% CREAM APPLY SMALL AMOUNT	ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)

WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

TOPICALLY TWO TIMES DAILY AS NEEDED FOR ITCHING. DO NOT APPLY TO FACE, GROIN, ARMPITS

7) DIGOXIN 0.25MG TAB TAKE ONE TABLET BY MOUTH AT BEDTIME ACTIVE

8) DILTIAZEM (INWOOD) 240MG SA CAP TAKE ONE CAPSULE BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL. HOLD IF PULSE IS LESS THAN 50. ACTIVE

9) DIVALPROEX 500MG SA(EXTENDED RELEASE)TAB TAKE FOUR TABLETS BY MOUTH AT BEDTIME - START WITH ONE TABLET FOR THREE DAYS, THEN TWO TABLETS FOR THREE DAYS, THEN THREE TABLETS FOR THREE DAYS, THEN FOUR TABLETS DAILY FOR MOOD STABILIZATION; ANGER, ANXIETY. ACTIVE

10) HYDRALAZINE HCL 25MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL ACTIVE

11) HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN RELIEF. ACTIVE

12) HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED PENDING

13) LIDOCAINE 4% TOP CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED ACTIVE

14) LISINOPRIL 40MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR BLOOD PRESSURE CONTROL ACTIVE

15) MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY ACTIVE

16) MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY PENDING

17) PHENAZOPYRIDINE HCL 100MG TAB TAKE TWO TABLETS BY MOUTH TWO TIMES DAILY AS NEEDED FOR BLADDER PAIN AND BURNING ACTIVE

18) SILVER SULFADIAZINE 1% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR DOT/SPOT ON SKIN SORE UNTIL HEALED ACTIVE

19) SIMVASTATIN 40MG TAB TAKE ONE-HALF TABLET BY MOUTH AT BEDTIME FOR CHOLESTEROL ACTIVE

20) TRAMADOL HCL 50MG TAB TAKE ONE TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN ACTIVE

21) WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH SUNDAY, TUESDAY, THURSDAY, AND SATURDAY AND TAKE ONE AND ONE-HALF TABLETS MONDAY, WEDNESDAY AND FRIDAY OR AS DIRECTED BY ANTICOAG CLINIC TO PREVENT CLOTS ACTIVE

Patient/Relative or patients representative has received a copy of these instructions and indicates understanding of these instructions.

/es/ Medford Cashion

M.D.

Signed: 08/02/2014 20:52

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

ROSALIA, WASHINGTON 99170

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

Progress Notes

Printed On Feb 29, 2016

LOCAL TITLE: EMERGENCY DEPT LEVEL 1/2 NOTE

STANDARD TITLE: URGENT CARE NOTE

DATE OF NOTE: AUG 02, 2014@20:43

ENTRY DATE: AUG 02, 2014@20:43:49

AUTHOR: CASHION, MEDFORD

EXP COSIGNER:

URGENCY:

STATUS: COMPLETED

SUBJECTIVE: 70m c/o head injury. He was just discharged from this ER, and was using his crutches, when he fell into the bike rack out in our parking lot having tripped. A witness says his head went through the bike rack. Pt states his head hit the pavement but he wasn't knocked out. He has no headache and no neck or back pain, in fact no new pain.

Emergency Room nurses note reviewed.

Most recent Primary Care provider's note reviewed.

Objective:

Computerized Problem List is the source for the following:

1. CA URETER
2. Blood in urine (SNOMED CT 34436003)
3. Spontaneous ecchymosis (SNOMED CT 302228007)
4. VENOUS INSUFFICIENCY
5. Encounter for Therapeutic Drug Monitoring (ICD-9-CM V58.83)
6. Long Term (current) use of Anticoagulants (ICD-9-CM V58.61)
7. MILLIUM
8. Atrial Fibrillation * (ICD-9-CM 427.31)
9. Chronic Obstructive Pulmonary Disease * (ICD-9-CM 496.)
10. Hypertension * (ICD-9-CM 401.9)
11. Obstructive Sleep Apnea (Adult) (Pediatric) (ICD-9-CM 327.23)
12. NEURODEMATITIS
13. Hyperlipidemia * (ICD-9-CM 272.4)
14. Heartburn * (ICD-9-CM 787.1)
15. Hypertrophy (Benign) of Prostate without Urinary obstruction (ICD-9-CM 600.00)
16. BIPOLAR I, UNSPECIFIED
17. Posttraumatic Stress Disorder
18. Osteoarthritis, generalized
 - Bilateral hip hemiarthroplasty with replacements
 - Severe AO glenohumeral joints bilaterally
19. Tobacco Use Disorder

RECENT OUTPATIENT MEDICATIONS:

Active and Recently Expired Outpatient Medications (including Supplies):

Active Outpatient Medications	Status
1) ACETAMINOPHEN 325MG TAB TAKE TWO TABLETS BY MOUTH	ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)

WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

EVERY 6 HOURS AS NEEDED FOR PAIN		
2) ALBUTEROL 100/IPRATRO 20MCG 120D PO INHL INHALE 1 PUFF ORAL INHALATION FOUR TIMES DAILY ***PLEASE NOTE NEW FORMULATION AND NEW DIRECTIONS***		ACTIVE
3) ASPIRIN 81MG EC TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR HEART AND CIRCULATION		ACTIVE
4) BUDESONIDE 80/FORMOTER 4.5MCG 120D INH INHALE 2 PUFFS VIA ORAL INHALER DEVICE EVERY 12 HOURS RINSE MOUTH WITH WATER AND SPIT AFTER EVERY DOSE. SHAKE WELL (5 SECONDS) BEFORE EACH USE.		ACTIVE
5) BUPROPION HCL 100MG TAB TAKE ONE AND ONE-HALF TABLETS BY MOUTH TWICE DAILY (AT 6 AM AND 2 PM) FOR DEPRESSION, ANXIETY, SMOKING.		ACTIVE
6) CLOBETASOL PROPIONATE 0.05% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR ITCHING. DO NOT APPLY TO FACE, GROIN, ARMPITS		ACTIVE
7) DIGOXIN 0.25MG TAB TAKE ONE TABLET BY MOUTH AT BEDTIME		ACTIVE
8) DILTIAZEM (INWOOD) 240MG SA CAP TAKE ONE CAPSULE BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL. HOLD IF PULSE IS LESS THAN 50.		ACTIVE
9) DIVALPROEX 500MG SA(EXTENDED RELEASE) TAB TAKE FOUR TABLETS BY MOUTH AT BEDTIME - START WITH ONE TABLET FOR THREE DAYS, THEN TWO TABLETS FOR THREE DAYS, THEN THREE TABLETS FOR THREE DAYS, THEN FOUR TABLETS DAILY FOR MOOD STABILIZATION, ANGER, ANXIETY.		ACTIVE
10) HYDRALAZINE HCL 25MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL		ACTIVE
11) HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN RELIEF.		ACTIVE
12) LIDOCAINE 4% TOP CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED		ACTIVE
13) LISINOPRIL 40MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR BLOOD PRESSURE CONTROL		ACTIVE
14) MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY		ACTIVE
15) PHENAZOPYRIDINE HCL 100MG TAB TAKE TWO TABLETS BY MOUTH TWO TIMES DAILY AS NEEDED FOR BLADDER PAIN AND BURNING		ACTIVE
16) SILVER SULFADIAZINE 1% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR DOT/SPOT ON SKIN SORE UNTIL HEALED		ACTIVE
17) SIMVASTATIN 40MG TAB TAKE ONE-HALF TABLET BY MOUTH AT BEDTIME FOR CHOLESTEROL		ACTIVE
18) TRAMADOL HCL 50MG TAB TAKE ONE TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN		ACTIVE
19) WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH SUNDAY, TUESDAY, THURSDAY, AND SATURDAY AND TAKE ONE AND ONE-HALF TABLETS MONDAY, WEDNESDAY		ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)

WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

AND FRIDAY OR AS DIRECTED BY ANTICOAG CLINIC TO
PREVENT CLOTS

Pending Outpatient Medications		Status
1)	HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED	PENDING
2)	MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY	PENDING

REVIEW OF SYSTEMS:

Gen- no pain, no headache
 HEENT -No recent change in vision/hearing
 Resp - No SOB, cough, wheezing
 CV - No CP/syncope
 GI -No abdominal pain
 MS -No neck pain
 Neuro - no LOC, remembers falling

OBJECTIVE:

Temperature: 97.5 F [36.4 C] (07/08/2014 11:15)

Pulse:83 (08/02/2014 11:03)

Respiratory rate: 14 (08/02/2014 11:03)

Blood Pressure: 116/80 (08/02/2014 11:03)

Pulse Oximetry:

Measurement DT POx
 (L/MIN) (%)

08/02/2014 11:03 92

Weight: 276.8 lb [125.8 kg] (07/08/2014 11:15)

Height: 70 in [177.8 cm] (02/27/2014 10:12)

Exam:

Gen - no apparent distress
 HEENT - 3x4cm fresh abrasion, mild swelling left upper forehead
 Neck - good ROM, no midline tenderness
 Skin - no other injury
 Chest - nontender
 Lungs -Clear to auscultation
 CV - Reg, no M/G/R, no carotid bruits
 Abd -Normal BS, benign, no masses/organomegaly
 Back - Straight, non-tender
 Extremities - no sign injury
 Neuro - Mental status normal for age; PERRL, moving all 4 extr well

EMERGENCY ROOM COURSE: Tdap im.

Discussed c pt and his friend

ASSESSMENT & PLAN:

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
 WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

1. Abrasion and contusion forehead, without concussion, on warfarin, today's INR 1.5. Pt and friend comfortable with home observation. Instruction sheet. Followup urgent care Aug 4.

/es/ Medford Cashion

M.D.

Signed: 08/06/2014 06:38

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

ROSALIA, WASHINGTON 99170

VISTA Electronic Medical Documentation
Printed at MANN-GRANDSTAFF VAMC

Progress Notes

Printed On Feb 29, 2016

LOCAL TITLE: EMERGENCY DEPT LEVEL 1/2 DISCHARGE NOTE
 STANDARD TITLE: URGENT CARE EDUCATION DISCHARGE NOTE
 DATE OF NOTE: AUG 02, 2014@19:27 ENTRY DATE: AUG 02, 2014@19:27:10
 AUTHOR: CASHION, MEDFORD EXP COSTIGNER:
 URGENCY: STATUS: COMPLETED

Instructions:

DX: STRAIN AND CONTUSION LEFT KNEE PLAN: RX NORCO 5 #6 TAKEHOME AND #16 AT WINDOW. MUST USE YOUR KNEE IMMOBILIZER AND CRUTCHES. CONTINUE TO ICE AND ELEVATE. ORTHO CONSULT FOR AUG 4.

Released to:

Home

Follow up (by patient):

other:

--Scheduled Appointments:

08/04/2014 14:00 DERM FOLLOW UP
 08/06/2014 11:20 SPO PHARMACIST CLINIC 3
 08/06/2014 13:30 POD FOOT TECH
 08/15/2014 11:30 URO HEATON
 08/27/2014 11:30 MHC LOCUMS-A
 09/04/2014 11:00 SPO CPAP B
 10/09/2014 13:00 URO HEATON

Condition:

stable

Medication Reconciliation:

Below is list of current medications. Patient/caregiver will notify any other health care provider(s) of changes. Medications reconciled with patient/caregiver and patient given this updated list.

Active Outpatient Medications (including Supplies):

Outpatient Medications		Status
<hr/>		
1)	ACETAMINOPHEN 325MG TAB TAKE TWO TABLETS BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN	ACTIVE
2)	ALBUTEROL 100/IPRATRO 20MCG 120D PO INHL INHALE 1 PUFF ORAL INHALATION FOUR TIMES DAILY ***PLEASE NOTE NEW FORMULATION AND NEW DIRECTIONS***	ACTIVE
3)	ASPIRIN 81MG EC TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR HEART AND CIRCULATION	ACTIVE
4)	BUDESONIDE 80/FORMOTER 4.5MCG 120D INH INHALE 2 PUFFS VIA ORAL INHALER DEVICE EVERY 12 HOURS RINSE MOUTH WITH WATER AND SPIT AFTER EVERY DOSE. SHAKE WELL (5 SECONDS) BEFORE EACH USE.	ACTIVE
5)	BUPROPION HCL 100MG TAB TAKE ONE AND ONE-HALF TABLETS BY MOUTH TWICE DAILY (AT 6 AM AND 2 PM) FOR	ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)

WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

DEPRESSION, ANXIETY, SMOKING.

6) CLOBETASOL PROPIONATE 0.05% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR ITCHING. DO NOT APPLY TO FACE, GROIN, ARMPITS ACTIVE

7) DIGOXIN 0.25MG TAB TAKE ONE TABLET BY MOUTH AT BEDTIME ACTIVE

8) DILTIAZEM (INWOOD) 240MG SA CAP TAKE ONE CAPSULE BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL. HOLD IF PULSE IS LESS THAN 50. ACTIVE

9) DIVALPROEX 500MG SA(EXTENDED RELEASE) TAB TAKE FOUR TABLETS BY MOUTH AT BEDTIME - START WITH ONE TABLET FOR THREE DAYS, THEN TWO TABLETS FOR THREE DAYS, THEN THREE TABLETS FOR THREE DAYS, THEN FOUR TABLETS DAILY FOR MOOD STABILIZATION, ANGER, ANXIETY. ACTIVE

10) HYDRALAZINE HCL 25MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL ACTIVE

11) HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN RELIEF. ACTIVE

12) HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED PENDING

13) LIDOCAINE 4% TOP CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED ACTIVE

14) LISINOPRIL 40MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR BLOOD PRESSURE CONTROL ACTIVE

15) MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY ACTIVE

16) MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY PENDING

17) PHENAZOPYRIDINE HCL 100MG TAB TAKE TWO TABLETS BY MOUTH TWO TIMES DAILY AS NEEDED FOR BLADDER PAIN AND BURNING ACTIVE

18) SILVER SULFADIAZINE 1% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR DOT/SPOT ON SKIN SORE UNTIL HEALED ACTIVE

19) SIMVASTATIN 40MG TAB TAKE ONE-HALF TABLET BY MOUTH AT BEDTIME FOR CHOLESTEROL ACTIVE

20) TRAMADOL HCL 50MG TAB TAKE ONE TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN ACTIVE

21) WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH SUNDAY, TUESDAY, THURSDAY, AND SATURDAY AND TAKE ONE AND ONE-HALF TABLETS MONDAY, WEDNESDAY AND FRIDAY OR AS DIRECTED BY ANTICOAG CLINIC TO PREVENT CLOTS ACTIVE

Patient/Relative or patients representative has received a copy of these instructions and indicates understanding of these instructions.

/es/ Medford Cashion

M.D.

Signed: 08/02/2014 19:29

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

LOCAL TITLE: EMERGENCY DEPT LEVEL 1/2 NOTE STANDARD TITLE: URGENT CARE NOTE DATE OF NOTE: AUG 02, 2014@12:40 AUTHOR: MCMANUS, SHEA E URGENCY:	ENTRY DATE: AUG 02, 2014@12:40:55 EXP COSIGNER: STATUS: COMPLETED			
<p>S:PT C/O FALLING APPROX 2 FT OFF OF STAIRS LAST WEEK ONTO KNEES WITH LEFT KNEE PAIN AND SWELLING INCREASING OVER THE LAST FEW DAYS. PT ON COUMADIN FOR CHRONIC ATRIAL FIBRILLATION WITH LAST INR 7/21/14 OF 3.8. PT DENIES ANY OTHER SXS. Emergency Dept. nurses note reviewed. Most recent Primary Care provider's note reviewed.</p> <p>PROBLEM LIST / MEDICATIONS:</p> <p>=====</p> <p>Computerized Problem List is the source for the following:</p> <ol style="list-style-type: none"> 1. CA URETER 2. Blood in urine (SNOMED CT 34436003) 3. Spontaneous ecchymosis (SNOMED CT 302228007) 4. VENOUS INSUFFICIENCY 5. Encounter for Therapeutic Drug Monitoring (ICD-9-CM V58.83) 6. Long Term (current) use of Anticoagulants (ICD-9-CM V58.61) 7. MILLIUM 8. Atrial Fibrillation * (ICD-9-CM 427.31) 9. Chronic Obstructive Pulmonary Disease * (ICD-9-CM 496.) 10. Hypertension * (ICD-9-CM 401.9) 11. Obstructive Sleep Apnea (Adult) (Pediatric) (ICD-9-CM 327.23) 12. NEURODEMATITIS 13. Hyperlipidemia * (ICD-9-CM 272.4) 14. Heartburn * (ICD-9-CM 787.1) 15. Hypertrophy (Benign) of Prostate without Urinary obstruction (ICD-9-CM 600.00) 16. BIPOLAR I, UNSPECIFIED 17. Posttraumatic Stress Disorder 18. Osteoarthritis, generalized Bilateral hip hemiarthroplasty with replacements Severe AO glenohumeral joints bilaterally 19. Tobacco Use Disorder <p>=====</p> <p>RECENT OUTPATIENT MEDS:</p> <p>Active and Recently Expired Outpatient Medications (including Supplies):</p> <table> <thead> <tr> <th>Active Outpatient Medications</th> <th>Status</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Active Outpatient Medications	Status		
Active Outpatient Medications	Status			

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)	VISTA Electronic Medical Documentation
WRIGHT, STEVEN O	Printed at MANN-GRANDSTAFF VAMC
ROSALIA, WASHINGTON 99170	

Progress Notes

Printed On Feb 29, 2016

1)	ACETAMINOPHEN 325MG TAB TAKE TWO TABLETS BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN	ACTIVE
2)	ALBUTEROL 100/IPRATRO 20MCG 120D PO INHL INHALE 1 PUFF ORAL INHALATION FOUR TIMES DAILY ***PLEASE NOTE NEW FORMULATION AND NEW DIRECTIONS***	ACTIVE
3)	ASPIRIN 81MG EC TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR HEART AND CIRCULATION	ACTIVE
4)	BUDESONIDE 80/FORMOTER 4.5MCG 120D INH INHALE 2 PUFFS VIA ORAL INHALER DEVICE EVERY 12 HOURS RINSE MOUTH WITH WATER AND SPIT AFTER EVERY DOSE. SHAKE WELL (5 SECONDS) BEFORE EACH USE.	ACTIVE
5)	BUPROPION HCL 100MG TAB TAKE ONE AND ONE-HALF TABLETS BY MOUTH TWICE DAILY (AT 6 AM AND 2 PM) FOR DEPRESSION, ANXIETY, SMOKING.	ACTIVE
6)	CLOBETASOL PROPIONATE 0.05% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR ITCHING. DO NOT APPLY TO FACE, GROIN, ARMPITS	ACTIVE
7)	DIGOXIN 0.25MG TAB TAKE ONE TABLET BY MOUTH AT BEDTIME	ACTIVE
8)	DILTIAZEM (INWOOD) 240MG SA CAP TAKE ONE CAPSULE BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL. HOLD IF PULSE IS LESS THAN 50.	ACTIVE
9)	DIVALPROEX 500MG SA(EXTENDED RELEASE) TAB TAKE FOUR TABLETS BY MOUTH AT BEDTIME - START WITH ONE TABLET FOR THREE DAYS, THEN TWO TABLETS FOR THREE DAYS, THEN THREE TABLETS FOR THREE DAYS, THEN FOUR TABLETS DAILY FOR MOOD STABILIZATION, ANGER, ANXIETY.	ACTIVE
10)	HYDRALAZINE HCL 25MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL	ACTIVE
11)	HYDROCODONE 5MG/ACETAMINOPHEN 325MG TAB TAKE 1 TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN RELIEF.	ACTIVE
12)	LIDOCAINE 4% TOP CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED	ACTIVE
13)	LISINOPRIL 40MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR BLOOD PRESSURE CONTROL	ACTIVE
14)	MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY	ACTIVE
15)	PHENAZOPYRIDINE HCL 100MG TAB TAKE TWO TABLETS BY MOUTH TWO TIMES DAILY AS NEEDED FOR BLADDER PAIN AND BURNING	ACTIVE
16)	SILVER SULFADIAZINE 1% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR DOT/SPOT ON SKIN SORE UNTIL HEALED	ACTIVE
17)	SIMVASTATIN 40MG TAB TAKE ONE-HALF TABLET BY MOUTH AT BEDTIME FOR CHOLESTEROL	ACTIVE
18)	TRAMADOL HCL 50MG TAB TAKE ONE TABLET BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN	ACTIVE
19)	WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH SUNDAY, TUESDAY, THURSDAY, AND SATURDAY	ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

AND TAKE ONE AND ONE-HALF TABLETS MONDAY, WEDNESDAY AND FRIDAY OR AS DIRECTED BY ANTICOAG CLINIC TO PREVENT CLOTS

Pending Outpatient Medications		Status
1)	MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY	PENDING
Inactive Outpatient Medications		Status
1)	ALBUTEROL 90/IPRATROPI 18MCG 200D PO INHL INHALE 2 PUFFS ORAL INHALATION FOUR TIMES DAILY	DISCONTINUED (EDIT)
2)	CEPHALEXIN 500MG CAP TAKE ONE CAPSULE BY MOUTH THREE TIMES A DAY UNTIL GONE FOR INFECTION	DISCONTINUED
3)	DIVALPROEX 500MG SA(EXTENDED RELEASE)TAB TAKE FOUR TABLET BY MOUTH AT BEDTIME	DISCONTINUED (EDIT)
4)	DIVALPROEX 500MG SA(EXTENDED RELEASE)TAB TAKE FOUR TABLETS BY MOUTH AT BEDTIME	DISCONTINUED (EDIT)
5)	FUROSEMIDE 40MG TAB TAKE ONE TABLET BY MOUTH DAILY AS NEEDED	DISCONTINUED
6)	HYDRALAZINE HCL 25MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY FOR BLOOD PRESSURE CONTROL	DISCONTINUED
7)	LIDOCAINE 4% TOP CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED	DISCONTINUED
8)	MENTHOL/M-SALICYLATE 10-15% TOP CREAM APPLY SMALL AMOUNT TOPICALLY EVERY DAY	DISCONTINUED
9)	PAROXETINE HCL 30MG TAB TAKE ONE TABLET BY MOUTH AT BEDTIME	DISCONTINUED
10)	PRAMOXINE HCL 1% LOTION APPLY SMALL AMOUNT TOPICALLY FIVE TIMES DAILY AS NEEDED	EXPIRED
11)	SILVER SULFADIAZINE 1% CREAM APPLY SMALL AMOUNT TOPICALLY TWO TIMES DAILY AS NEEDED FOR DOT/SPOT ON SKIN SORE UNTIL HEALED	DISCONTINUED
12)	WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH SUNDAY, TUESDAY, THURSDAY, AND SATURDAY AND TAKE ONE AND ONE-HALF TABLETS MONDAY, WEDNESDAY AND FRIDAY OR AS DIRECTED BY ANTICOAG CLINIC TO PREVENT CLOTS	DISCONTINUED
13)	WARFARIN NA (GOLDEN STATE) 5MG TAB TAKE TWO TABLETS BY MOUTH AT BEDTIME EXCEPT TAKE ONE AND ONE-HALF TABLETS FRIDAYS OR AS DIRECTED BY ANTICOAG CLINIC TO PREVENT CLOTS	DISCONTINUED
33 Total Medications		
ALLERGIES: Patient has answered NKA		
O:		
VITALS:		
TEMP: 97.5 F [36.4 C] (07/08/2014 11:15)		

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)

WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

RESP: 14 (08/02/2014 11:03)
 PULSE: 83 (08/02/2014 11:03)
 BP: 116/80 (08/02/2014 11:03)
 WT: 276.8 lb [125.8 kg] (07/08/2014 11:15)
 HEIGHT: 70 in [177.8 cm] (02/27/2014 10:12)
 PAIN: 9 (08/02/2014 11:03)

PULSE OXIMETRY:

Measurement DT POx
 (L/MIN) (%)
 08/02/2014 11:03 92
 GEN: INAD

HEENT: Normocephalic w/o masses or trauma, PERRLA, Sclerae and conjunctivae normal, Nose, mouth, oropharynx normal

CHEST:

Equal expansion bilaterally
 Clear to auscultation

CARDIOVASCULAR: palpation normal, irregular rhythm, no rub, gallop or murmur
 3+ EDEMA LEFT LEG UP TO PELVIS/ + ANASARCA

ABDOMINAL: soft, positive bowel sounds, not tender, no fluid, without masses, liver normal, spleen not palpable, no hernia

Fecal occult blood test (FOBT)

Result was Not performed.

Internal QC check (IQC) was OK.

NEUROLOGICAL: CN II-XII grossly intact, Reflexes 2+ and symmetrical, Motor 5/5 upper extremities, motor 5/5 lower extremities

MUSCULOSKELETAL:

LEFT LEG WITH ECCRYSIS AND SEVERE ANASARCA/EDEMA

PSYCHIATRIC:

Mood and affect appropriate. Patient oriented X 3.

LABS: Report Released Date/Time: Aug 02, 2014@13:38

Provider: MCMANUS, SHEA E

Specimen: BLOOD*.	CH 0802 28					
Specimen Collection Date:	Aug 02, 2014@13:02					
Test name	Result	units	Ref.	range	Site	Code
SODIUM	139	mmol/L	135	- 145		[668]
POTASSIUM	3.7	mmol/L	3.6	- 5.4		[668]
CHLORIDE	105	mmol/L	98	- 107		[668]
CARBON DIOXIDE	26	mmol/L	22	- 30		[668]
CREATININE SER -	0.7	mg/dL	0.7	- 1.5		[668]
ESTGLO	>60	ml/mn/1.73				[668]
BUN/UREA	17	mg/dL	7	- 23		[668]
CALCIUM	8.6	mg/dL	8.4	- 10.3		[668]
GLUCOSE	112 H	mg/dL	75	- 100		[668]
ALKALINE PHOSPHATASE	79	U/L	45	- 129		[668]

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
 WRIGHT, STEVEN O

VISTA Electronic Medical Documentation
 Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

ASPARTATE AMINO-TRANSFERASE	14	U/L	14 - 44	[668]
ALANINE AMINO-TRANSFERASE	9	U/L	9 - 57	[668]
TOTAL BILIRUBIN	0.6	mg/dL	0.1 - 1.1	[668]
DIRECT BILIRUBIN	<0.2	mg/dL	0.00 - 0.20	[668]
ALBUMIN	3.9	g/dL	3.5 - 5.0	[668]
TOTAL PROTEIN	7.6	g/dL	6.5 - 8.2	[668]
GLOBULIN	3.8			[668]
NT-proBNP	680	pg/mL	0 - <125	[668]

Eval: Reference Range High:

Eval: <75 years < or = 125 pg/mL

Eval: >= 75 years < 450 pg/mL

Report Released Date/Time: Aug 02, 2014 @ 13:36

Provider: MCMANUS, SHEA E

Specimen: BLOOD. HEM 0802 19

Specimen Collection Date: Aug 02, 2014 @ 13:02

Test name	Result	units	Ref. range	Site Code
WBC	7.0	K/uL	4.5 - 10.0	[668]
RBC	4.0 L	M/uL	4.6 - 5.5	[668]
HGB	12.9 L	g/dL	13.5 - 18	[668]
HCT	37.2 L	%	40 - 53	[668]
MCV	93.1 fL		80 - 100	[668]
MCH	32.2 H	pg	26 - 32	[668]
MCHC	34.6 g/dL		32 - 36	[668]
RDW	15.4 H	%	11 - 15	[668]
PLATELET COUNT	184	K/uL	150 - 400	[668]
LYMPH %	17.7	%	10 - 45	[668]
MONOS %	21.1 H	%	2 - 14	[668]
NEUTROPHILS %	59.2	%	40 - 74	[668]
EOSINOPHILS %	0.8	%	0 - 5	[668]
BASOPHILS %	1.2	%	0 - 2	[668]
Eval: PRIOR TO 1.19.2010 REF RANGE WAS 0-3. IS			EFFECTIVE 1.19.2010 REF RANGE	
Eval: 0-2.				
LYMPH #	1.2	K/uL	1.2 - 3.5	[668]
Eval: Reference ranges prior to 1.19.2010 was 1.0-4.0. Effective 1.19.2010 the				
Eval: reference ranges are 1.2-3.5.				
MONOS #	1.5 H	K/uL	0.0 - 0.5	[668]
Eval: PRIOR TO 1.19.2010 REF RANGES WERE 0.2 - 0.8. REF			EFFECTIVE 1.19.2010	
Eval: RANGES ARE 0.0 - 0.5				
NEUTROPHILS #	4.1	K/uL	1.0 - 8.0	[668]
EOSINOPHILS #	0.1	K/uL	0 - 0.5	[668]
BASOPHILS #	0.1	K/uL	0 - 0.2	[668]
SEGS	59	%	40 - 74	[668]
BANDS	6 H	%	0 - 5	[668]
LYMPH %	12	%	10 - 45	[668]

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

MONOS	21	H	%	2 - 14	[668]
EOSINO	2		%	0 - 5	[668]
NUCLEATED RBC/100WBC	1	H	%/WBC	0 - 0	[668]
PLATCNT			CONFIRMED		[668]
ANISOCYTOSIS	1		0-4+		[668]
ROULEAUX	1		0-4+		[668]
Comment: OCCASIONAL POLYMACROCYTES PRESENT 20 % Toxic Granulation Seen in PMN'S. PLATELET CLUMPING PRESENT--NUMBER OF PLATELETS APPEAR ADEQUATE.					

Report Released Date/Time: Aug 02, 2014 013:25

Provider: MCMANUS, SHEA E

Specimen: BLOOD COAG 0802 4

Specimen Collection Date: Aug 02, 2014 013:02

	Test name	Result	units	Ref.	range	Site Code
aPTT	-	28.2	Sec	23.8	- 42.3	[668]
	Eval: Heparin therapeutic range:	45.9	to 67.3	Sec.		
INR	-	1.5	H	0.8	- 1.14	[668]
	Eval: The International Normalized Ratio (INR) is recommended in					
	Eval: monitoring oral anticoagulant therapy. The recommended adult					
	Eval: therapeutic range for INR is:	2.0-3.0				
	Eval:					
	Eval: Interpretive comments changed	2-18-10.				
PROTIME	-	18.0	H Sec	11.4	- 14.3	[668]
	Eval: Prior to 11-20-13:					
	Eval: Reference ranges were 12.0-14.9					
	Eval:					
	Eval: Prior to 2/18/10:					
	Eval: Reference Ranges were 11.7-14.4 &					
	Eval: Adult therapeutic range: 23.2 to 32.0 Sec					

X-RAYS: LEFT KNEE WITH MEDIAL JOINT SPACE NARROWING, SUPRA AND INFRA PATELLA
EFFUSIONS WITH SOFT TISSUE SWELLING/EDEMA. NO EVIDENCE OF FRACTURES OR
DISLOCATIONS.

EKG: ATRIAL FIBRILLATION VR 97 NS ST/TW CHANGES

ASSESSMENT:

LEFT LEG EDEMA/ECCYROSIS/ANASARCA
SUBTHERAPIC WARFARIN

PLAN:

SEND OUT FOR LEFT LEG DVT EVALUATION WITH PT TO RETURN FOR ADMISSION

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

VISTA Electronic Medical Documentation

Printed at MANN-GRANDSTAFF VAMC

ROSALIA, WASHINGTON 99170

Progress Notes

Printed On Feb 29, 2016

<p>/es/ SHEA E MCMANUS MD Signed: 08/02/2014 18:03 Receipt Acknowledged By: 08/02/2014 19:11 /es/ Medford Cashion M.D.</p>	
---	--

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)
WRIGHT, STEVEN O

ROSALIA, WASHINGTON 99170

VISTA Electronic Medical Documentation
Printed at MANN-GRANDSTAFF VAMC

Progress Notes

Printed On Feb 29, 2016

LOCAL TITLE: EMERGENCY DEPT TRIAGE NOTE
 STANDARD TITLE: EMERGENCY DEPT TRIAGE NOTE
 DATE OF NOTE: AUG 02, 2014@11:04 ENTRY DATE: AUG 02, 2014@11:04:25
 AUTHOR: PALMER, JILL R EXP COSIGNER:
 URGENCY: STATUS: COMPLETED

*** EMERGENCY DEPT TRIAGE NOTE Has ADDENDA ***

Arrived via:
 POV
 Walking

CHIEF COMPLAINT: pt fell 1 wk ago, approx 2 ft from deck. c/o L knee, L lower leg, and L ankle pain. presents with swelling to mentioned areas and lateral ankle bruising. rates pain 9/10. pt arrives walking with crutches, transferred to w/c without difficulty. pt escorted to xray by friend.

VITALS:

TEMP: 97.5 F [36.4 C] (07/08/2014 11:15)
 RESP: 14 (08/02/2014 11:03)
 PULSE: 83 (08/02/2014 11:03)
 BP: 116/80 (08/02/2014 11:03)
 WT: 276.8 lb [125.8 kg] (07/08/2014 11:15)
 HEIGHT: 70 in [177.8 cm] (02/27/2014 10:12)
 PAIN: 9 (08/02/2014 11:03)

PULSE OXIMETRY:

Measurement DT POx
 (L/MIN) (%)
 08/02/2014 11:03 92

Medication:

Active Outpatient Medications (including Supplies):

	Outpatient Medications	Status
1)	ACETAMINOPHEN 325MG TAB TAKE TWO TABLETS BY MOUTH EVERY 6 HOURS AS NEEDED FOR PAIN	ACTIVE
2)	ALBUTEROL 100/IPRATRO 20MCG 120D PO INHL INHALE 1 PUFF ORAL INHALATION FOUR TIMES DAILY ***PLEASE NOTE NEW FORMULATION AND NEW DIRECTIONS***	ACTIVE
3)	ASPIRIN 81MG EC TAB TAKE ONE TABLET BY MOUTH EVERY DAY FOR HEART AND CIRCULATION	ACTIVE
4)	BUDESONIDE 80/FORMOTER 4.5MCG 120D INH INHALE 2 PUFFS VIA ORAL INHALER DEVICE EVERY 12 HOURS RINSE MOUTH WITH WATER AND SPIT AFTER EVERY DOSE. SHAKE WELL (5 SECONDS) BEFORE EACH USE.	ACTIVE
5)	BUPROPION HCL 100MG TAB TAKE ONE AND ONE-HALF TABLETS BY MOUTH TWICE DAILY (AT 6 AM AND 2 PM) FOR DEPRESSION, ANXIETY, SMOKING.	ACTIVE

PATIENT NAME AND ADDRESS (Mechanical Imprinting, if available)	VISTA Electronic Printed at	Medical Documentation
WRIGHT, STEVEN O ROSALIA, WASHINGTON 99170		MANN-GRANDSTAFF VAMC